Development Application Lodgement Checklist

Document Number: 19/14984 / FILE F18/596



In addition to the Development Application form you must complete the relevant sections of this checklist. Please note that an incomplete form may result in rejection of your application.

The following Preliminary Details must be completed for all applications.

All plans and documents must be submitted on a CD/USB in accordance with Council's Electronic Lodgement Guidelines for Building and Development Applications.

PROPOSA	L DETAIL	.S						
Property D	etails							
Unit/Shop/ Suite No.		Street No.		Street				
Suburb					Postcode			
Preliminary	y details					Yes	N/A	Office Use
The consent	of ALL ow	ners of the la	and must be provi	ded.				
If the propert provided.	ty is a strat	a unit, the co	nsent of the Owne	ers Corpora	tion must be			
			the consent of adj nust be completed		ers must be			
All plans and Council's File			ovided on a USB	or CD in ac	cordance with			0
Cost of wo	rks							
The estimate	ed cost of w	vorks must be	e written on the ap	oplication fo	rm.			
For developr Surveyor mu			over, a 'Value of A	Assessment	' by a Quantity			
- a photon	nontage, in		and over, the follo djoining propertie ective; and	_				
				a qualified	quantity surveyor.			
	street front	ages (for cor			of the proposal, ing buildings, at a			
Integrated	Developr	ment or Dev	elopment requ	iring Con	currence - additi	onal re	quiren	nents
An additiona each referral		D providing p	olans and docume	ntation mus	st be provided for			
			0 must be provide yable to the referr					

Privacy Statement

The personal information provided on this form (including your name and other details) will be handled in accordance with the *Privacy and Personal Information Protection Act 1998* and may be available to the public under various legislation. Refer also to the Privacy Statement on Council's website.

Rockdale Customer Service Centre 444-446 Princes Highway Rockdale NSW 2216, Australia ABN 80 690 785 443 **Eastgardens Customer Service Centre** Westfield Eastgardens 152 Bunnerong Road Eastgardens NSW 2036, Australia ABN 80 690 785 443

T 1300 581 299 | 02 9562 1666 E council@bayside.nsw.gov.au W www.bayside.nsw.gov.au Postal address: PO Box 21, Rockdale NSW 2216



DEVELOPMENT REQUIREMENTS			
1 - Statement of Environmental Effect (SEE) – (required for all applications / refer to Council's website regarding how to 'Prepare a Statement of Environmental Effects')	Yes	N/A	Office Use
A clear and detailed description of the proposal must be provided.			
A statement of compliance or variance with the relevant EPI's, Regulations, Council LEP and/or DCP including reasons for any variance must be provided.			
A clear and detailed description of the potential impacts of the proposal, and proposed mitigation measures must be provided.			
If applicable, the following additional requirements must also be provided:			
If the proposal was considered and supported by the DRP , the SEE must: - address the issues raised by the DRP; and - include a design verification statement and a statement of compliance with the nine (9) design quality principles (with justification to any variations).	0		00
For proposals seeking to vary development standards contained within the relevant Council LEP, a written Clause 4.6 submission must be provided.			
For rooms impacted by overshadowing the SEE must demonstrate how the proposal has minimised impacts in accordance with the DCP requirements.			
For works in the vicinity of a heritage item or within a Heritage Conservation Area , address the effect of the proposed development upon the significance of the heritage item/area in accordance with the relevant Clauses of the respective LEPs.			
For works involving removal of vegetation (a tree or other vegetation, whether or not it is native vegetation), indicate how much vegetation (metres square) is being removed, and what type of vegetation is being removed.	0		0
For proposals that involve new or existing Residential Flat Buildings , including strata subdivision, State Environmental Planning Policy (Affordable Rental Housing) 2009 must be addressed.			
Additionally, a fire safety measures schedule, listing all existing and proposed fire safety measures (including the standards of performance) must be provided.			
For all childcare centre proposals, the SEE must address the provisions of State Environmental Planning Policy – Educational Establishments & Child Care Facilities, in addition to Parts 2, 3 and 4 of the Child Care Planning Guideline.			
For all first use and change of use for retail and commercial premises, the SEE include:	must ac	dditionall	ly
 consideration of the impact on the amenity of neighbouring properties - such as privacy, noise, smells/odours, etc; 			
- hours of operation, and number of staff (full time and part time);			
- plant & machinery (including ventilation, exhaust systems, etc.) to be installed;			
- type, size & quantity of goods being stored, made or transported;			
- access requirements (for people with a disability);			
 parking numbers, loading and unloading facilities, details and frequency of vehicle movements and deliveries in accordance with the relevant AS/NZ and/or DCP; 			
- Waste Disposal Plan (required for commercial & food premises);			
 consideration of State Environmental Planning Policy No. 64 – (Advertising and Signage) (required for all proposals including signage); and 			
 for all proposed activities that involve baking, smoking and roasting of food products an Odour Report is required. 			

2 - Design Review Panel (DRP) (Required for all new commercial, industrial, multi-unit housing, and residential flat building developments of 3 or more storeys ONLY.)	Yes	N/A	Office Use
If the application has not been considered by Council's Design Review Panel, or was not supported, the DRP application, or updated DRP application, must be included with this application. [Note: Additional fees may apply and will likely result in delays to assessment.]			

PLANS & DRAWINGS			
3 – Standard Plan requirements – (required for all applications):	Yes	N/A	Office Use
All plans must include a Title Block, scale (1:100 or 1: 200), North point and Architects Name and Qualifications.			
All plans must be submitted showing the new work (alterations and additions) clearly coloured / highlighted.			
4 - Current Survey Plan - (required for all applications):			
The Survey Plan must be prepared by a Qualified Surveyor.			
All Reduced Levels (RL's) related to Australian Height Datum (AHD) must clearly be shown on the Survey Plan.			
All easements and any utilities within and located forward of the site frontage/s, including levels of the road carriageway, location of adjoining houses/dwellings, window locations, and the maximum RL/ridge height of adjoining buildings must clearly be shown.			
5 - Site Analysis Plan – (required for all applications):			
Site Analysis Plan as required by the relevant DCP must be provided.			
6 - Site Plan – (required for all applications):			
Street name and number must clearly be shown.			
Site dimensions, area and any RLs related to AHD must clearly be shown.			
Calculations of all existing and proposed floor areas must clearly be shown.			
Boundary setbacks to existing and proposed buildings/structures must clearly be shown.			
All structures and existing tenancies on the site must clearly be shown.			
Location of adjacent building/properties including windows and doors must clearly be shown.			
Any trees on the property, on Council land adjacent to the property (ie nature strips) or within 5 metres of the proposed development on any adjoining property must clearly be shown. Plans must clearly identify trees being retained/removed.			
Location of proposed pool, including location of pool fencing, filters and pumps must clearly be shown.			
For all first use and change of use for retail and commercial premises, Plans mu	ust addi	tionally i	nclude:
- all parking on site including loading dock facilities must clearly be shown;			
 a plan of the subject tenancy in the context of the whole building / site, and a copy of the strata plan if relevant; and 	0		
 position of any sign/s or structure on which the sign will be displaced must clearly be shown. 			

7 - Floor Plans – (required for all applications):	Yes	N/A	Office Use
Figured dimensions of proposed work and any existing buildings to be retained must clearly be shown.			
Layout of proposed development including property boundaries, setbacks from boundaries and adjoining buildings on each floor plan drawing must clearly be shown.			
Internal walls/partitions and room names for use must clearly be shown.			
Section line and location must clearly be shown on the plan.			
Location of stairs and RLs related to AHD must clearly be shown.			
A floor plan of the Principal Dwelling is required where the proposal is for a Secondary Dwelling.			
For all first use and change of use for retail and commercial premises, Plans ma	ust addi	ionally i	nclude:
- room and seating layout (food premises) and intended use of each part;			
- location of bathroom facilities and hand basins;			
 details for any proposed mechanical exhaust ventilation system including exhaust stack (in accordance with AS 1668) & location of grease trap (food premises); 			
- location of any proposed entertainment areas; and			
 location of all Essential/Category 1 Fire Safety Measures e.g. exit signs, emergency lights, fire hose reels, smoke/heat alarms or detectors, portable fire extinguishers and the like (entertainment venues). 			
8 - Elevations and Sections Plans – (required for all applications):			
Natural ground levels, floor levels, ceiling levels and roof/ridge levels as RL's to AHD must clearly be shown.			
Property boundaries, setbacks from boundaries and adjacent buildings must clearly be shown.	П		
External finishes, colours and materials must clearly be shown on the Plans.			
Proposed pools showing section indicating depths, pool fencing heights and location of filters and pumps must clearly be shown.	П		
For all first use and change of use for retail and commercial premises, Plans mu	ust addit	ionally i	nclude:
- mechanical ventilation details in accordance with AS/NZS 1668.2-2012 and location of grease trap (food shop proposals).			
For all signage proposals, Plans must additionally include:			
- sign locations, dimensions, illumination;			
- all content including wording, logos, graphics etc;			
 construction materials & colours for the sign/s & any structure on which the sign will be displayed; 			
- height above ground level if the sign is free standing; and			
- any lighting to be provided, including any self-illuminating signage.			
For Commercial / Industrial developments, Plans must additionally include:			
- all proposed services (e.g. telecommunications, electricity, sewer, etc.) to show that they will not be located inside the deep soil planting zone(s); and			
- any proposed 'fire hydrant booster valve' and 'substations' location(s) to show they are screened from view and not within proposed landscaped area.			

9 - Shadow diagrams (Based on 'true north' - required for all proposals of two storeys or more.)	Yes	N/A	Office Use
Provide shadows at 9 am, 12 noon and 3 pm at the shortest day (21 or 22 June).			
Provide shadows at 9 am, 12 noon and 3 pm at the intermediate situation equinox (22 March or 22 September).		О	0
Ensure shadow diagrams include: - scale; - entire neighbouring properties including full site dimensions and all complete			
 building footprints and windows (including window locations and levels); and a maximum of three diagrams per sheet. 			
10 - Elevational Shadow Diagrams			
(Required for northern elevation of any Southern adjoining residential development	.)		
Show shadow impacts of the proposed development at minimum hourly intervals at the shortest day (21 or 22 June).			□
Show shadow impacts of the proposed development at hourly intervals at the intermediate situation equinox (22 March or 22 September).			
Ensure shadow diagrams include:			
 scale; entire neighbouring properties including full site dimensions and all complete building footprints and windows (including window locations and levels); and 			
a maximum of three diagrams per sheet.			
II - Streetscape Plan / Street elevation			
(Required for all proposals with a first floor addition or propose two or more store	eys.)		
The Elevation must include a detailed assessment of the proposed building in regards to neighbouring buildings including setbacks and maximum ridge height, and natural ground level using RL's to AHD.			
12 - Driveway Ramp Profile @ 1:25 scale and including RL's			
To be provided if there is less than two metre distance between the front edge of the carport / garage and road pavement.			
To be provided if there is more than 500mm difference between the floor level of the carport / garage / parking facility and the road pavement, this includes low lying properties and ramps proposed to basement structures.		٥	
The profile shall start in the centre of the road, be along the critical edge of the driveway, drawn to a scale of 1 to 25 and include all levels, grades (%), clearances and lengths.			
13 - Demolition - (for all proposals involving demolition)			
A plan showing any proposed demolition works must be provided.			
FORMER CITY OF BOTANY BAY: A Demolition Traffic Management Plan is required for all sites with an area in excess of 1,000m ² .			
FORMER CITY OF BOTANY BAY: A "Hazardous Materials Survey" prepared by a qualified environmental consultant is required for all sites with an area in excess of 1,000m ² , or for other sites which are known to contain hazardous materials.	_		
16 - Landscape Plan			
A Landscape Plan, if required, must be prepared in accordance with the relevant DCP and/or Technical Specifications.			
14 – Soil & Water Management Plan			
A Soil & Water Management Plan must be provided for all demolition, new buildings & significant earthworks, in-ground pools and any work over \$25,000.			

15 - Stormwater Drainage Plan (Concept Plan) – (required for all developments)	Yes	N/A	Office Use
For all development, a Concept Stormwater Drainage Plan, including details of onsite detention/retention of stormwater, must be provided in accordance with the relevant Council Technical Specifications/Guidelines, DCP controls and relevant Australian Standards, primarily AS/NZS 3500.3			
A Stormwater Concept Plan Certification and Checklist must be provided, unless otherwise advised by a Council Engineer.			
If Checklist not required, a copy of Council advice must be provided.			
ADDITIONAL DEVELOPMENT SPECIFIC REQUIREMENTS			
17 - Waste Management Plan / Construction Management Plan	Yes	N/A	Office Use
A construction and/or ongoing Waste Management Plan is required for all new works involving construction, excavation, demolition, above and in-ground swimming pools and any work over \$20,000, in accordance with the relevant Council DCP and/or Technical Specifications.			
FORMER CITY OF BOTANY BAY: A Construction Management Plan (including Construction Traffic Management) is required for larger Applications, including all Applications with a value in excess of \$3M.			
18 - Heritage Impact Statement			
If the property is an identified heritage item or located within a Heritage Conservation Area as listed on the State register or Schedule 5 of the relevant Council LEP, and the works are other than minor works, a Heritage Impact Statement must be prepared by a suitably qualified heritage consultant.			
19 - Plan of Management			
(Required for Child Care Centres, Boarding Houses, Entertainment Venues, or Hoton operational measures to address impacts.)	tels, pub	s, etc. r	elying
The operational features of the premises, including capacity details, name and contact details of Manager, staffing levels and roles, and frequency and types of events/functions must be provided.			
Management of the premises, including noise mitigation measures, responsible service of alcohol, security and safety measures, must be clarified.			
The methods of rubbish disposal generated by functions, anti-loitering measures and a copy of Community Impact Statement (if required) must be provided. Note: Referral to NSW Police may be required.			
20 - Torrens title, strata and/or stratum subdivision			
A draft Subdivision Plan must be provided including: - proposed line of subdivision, consolidation or boundary adjustment; - total site area for each proposed lot; and - for dual occupancy - numbering of each lot (700 & 701 if dual occupancy).	0 0 0		0 0
A copy of the proposed infrastructure (concept plans) for subdivision of existing lots which require the provision of infrastructure ie roads, drainage, earthworks etc, must be included.			

FORMER CITY OF BOTANY BAY - If the subdivision results in an intensification of

the use of the land, a Hazardous Risk Assessment and/or Transport Risk

Assessment must be submitted in accordance with the 2001 Botany/Randwick Industrial Area Land Use Study as prescribed within the relevant DCP.

21 - Childcare Centres	Yes	N/A	Office Use
A copy of the National Quality Framework Checklist must be completed by the design architect.			
Where a proposed Child Care Centre is to be located on or close to a major road or industrial area / development, an Air Quality Assessment Report must be provided.			
Where a proposed Child Care Centre is to be located in an existing building, a Hazardous Materials Report, undertaken by a suitably qualified environmental consultant, must be submitted containing a lead and asbestos assessment of all buildings materials, carpets and painted areas including the roof void.			
A Road Safety Audit (Stage 5 Audit) shall be undertaken by an accredited auditor in accordance with AUSTROADS for the development.			
ADDITIONAL TECHNICAL REQUIREMENTS			
22 - Flood Advice Letter (Required for all properties subject to the risk of flooding, minimum floor levels and/or affected by overland flows, or affected by PMF flooding.)	Yes	N/A	Office Use
A copy of Council's Flood Advice letter must be provided.			
If specified by Council's Flood Advice letter, the following must be included: - flood study (inclusive of report and modelling); and - flood evacuation / management plan.	0 0		0 0
23 - Stormwater and Flood Management (required for the following):			
If the property falls to the rear, and you cannot drain to an existing stormwater			
system, a Drainage of Low Level Property Checklist must be completed. If the applicant cannot answer 'Yes' to any of the checklist questions, a Private Drainage Easement Review application is required to be submitted to Council prior to lodgement (for dual occupancy development and above only).			_
For proposals including a low level driveway/ramp (e.g. ramp to basement), the application must be accompanied by a Gutter flow analysis. The analysis is required to: - estimate the flow of water in the street kerb and gutter; and - recommend the required crest level in the driveway to protect the low level driveway from inundation.			
If an On-Site Retention (Absorption) System is proposed, the following is required: - a soil absorption test report including depth of groundwater table; or - an Absorption Rate Notice from Council (only applicable up to single dwelling development).			0
24 - Geotechnical Report (required for the following):			
A Geotechnical Report is required if the proposal includes excavation or basement level works. [Note: if excavated RL is below identified groundwater RL, the DA is Integrated Development].			
If the proposal includes structures in a property identified with a potential unstable cliff face, or excavation proposed within 900mm of a site boundary, the Report must			
demonstrate minimal impacts to adjoining properties, structures or public domain.			
If the proposal includes excavation within 25m of a rail corridor or adjacent to a classified busy road, and the proposal includes excavation, the Report must address the Interim Guidelines for Development Near Rail Corridors and Busy			
Roads issued by the Department of Planning (Refer to Concurrence requirements).			

25 - Contamination (required for the following):	Yes	N/A	Office Use
Do the works involve a basement garage or other excavation works that will transect the water table, and is within a site located within a 'groundwater protection zone' or where groundwater is potentially contaminated?	_		0
Is there a change of use to a more sensitive use (e.g. from industrial/commercial to residential or childcare)?			
If yes to either of the above, have the requirements of State Environmental Planning Policy No. 55 – Remediation of Land (SEPP 55) and Councils DCP been addressed, including:			
 A Stage 1 – Preliminary Site Investigation Report must be submitted in support of the application. It must be prepared by a suitably qualified contaminated land consultant in accordance with the NSW EPA's guidelines for contaminated sites and clearly state that the site is suitable for the proposed development. 			
 A Stage 2 – Detailed Site Investigation Report must be submitted when the Preliminary Site Investigation finds potential contamination or is inconclusive regarding the sites suitability for the proposed use. It must be prepared by a suitably qualified contaminated land consultant in accordance with the NSW EPA's guidelines for contaminated sites and clearly state that the site is suitable for the proposed development. 			
 A Stage 3 – Remedial Action Plan should be submitted if a Stage 2 – Detailed Site Investigation requires any remediation of the site. 		П	□
26 - Acid Sulfate Soils (required for the following):			
Is the site within an Acid Sulfate Soils Class 1 or 2? If yes, what is the Class			
If the proposal includes excavation within Class 1 or 2, a preliminary assessment of the proposal prepared in accordance with the Acid Sulfate Soils Manual OR an Acid Sulfate Soils Management Plan must be submitted.			
To what depth RL is excavation proposed?			
To what depth RL was soil sampling undertaken?			
Is the site within an Acid Sulfate Soils Class 3, 4 or 5?			
If yes, what is the Class			
 An Acid Sulfate Soils Report may be required for the following: Class 3 or 4 where significant excavation works are proposed (eg: basement garage, swimming pool, etc); or 			
 Class 5 where the site falls within 500 metres of an adjacent Class 1, 2, 3 or 4 land that is below 5 metres AHD and by which the watertable is likely to be lowered below one metre AHD on adjacent Class 1, 2, 3 or 4 land. 			
27 - Hazardous Risk Assessment – [FORMER CITY OF BOTANY BAY ONL)	/]		
A hazardous risk assessment and/or Transport Risk Assessment must be provided where the following is triggered:			
- if the proposal is located in the 'Consultation Region' and/or adjacent to the			
'Dangerous Goods Route' referred to in the 2001 Botany / Randwick Industrial Area Land Use Study; and/or			
 if the proposal involves residential intensification or sensitive use intensification, or will result in increased traffic volumes or access points onto Dangerous Goods Routes. 			
28 - Wind Tunnel Testing Report (required for the following):			
For proposed building work 5 or more storeys in height (over 15m), a Wind Tunnel Testing Report must be provided, with wind amelioration measures from the report incorporated into architectural plans.			

29 - Sydney Airports (required for the following):	Yes	N/A	Office Use
If the site is subject to Sydney Airports Height Restriction, provide the following: - Sydney Airport OLS height? - Sydney Airport Height? - There what height is the proposed building height in PL s2			
- Enter what height is the proposed building height in RLs?			_
For proposals where the height is equal to or above the Sydney Airports Height Restriction, has referral to Sydney Airports (SACL) been undertaken. [Note: referral to Sydney Airports will result in delays to the assessment.]			
30 - Acoustic Report (required for the following):			
NOTE: The report must be prepared by a suitably qualified acoustic consultant who i the Association of Australasian Acoustical Consultants (AAAC) or the Australian Aco			
An Acoustic Report must be prepared for properties in an ANEF contour of 20 or greater. What is the ANEF contour?			
If the development results in an increase in the number of dwellings or people affected by aircraft noise, such as a child care centre, the Acoustic Report must address AS 2021-2000, Acoustics - Aircraft noise intrusion – Building siting and construction and the provisions of the relevant Council LEP and/or DCP.			
An Acoustic Report that satisfies the relevant Council DCP requirements for Insulation and Impact Isolation between floors/walls must be provided for dual occupancy, multi dwelling housing, or residential flat buildings.			
An Acoustic Report satisfying State Environmental Planning Policy (Infrastructure) 2007 must be provided for properties within 25m of a rail corridor or adjacent to a classified busy road and the proposal is for a residential use.			0
An Acoustic Report which addresses the potential noise impacts on neighbours, must be provided in accordance with the relevant DCP for: - Childcare Centres;			
 Entertainment Venues; and/or noise generating uses in close proximity to residential development. [Note: Child care centres in ANEF areas greater than 25 ANEF are prohibited in Bayside East.] 			
31 - Traffic and Parking Impact Assessment Report (Required for development on State Roads, Mixed Use, RFB, Commercial and Child subdivisions creating 10 or more additional lots (not Strata), and some Change of U			
The report must be prepared by a suitably qualified traffic engineer and include, but i	s not lim	ited to:	
 existing operational conditions of the road network in the immediate vicinity of the development; 			
- projected trip generation and trip destination for the proposed development;			
 results of traffic counts and intersection performance analysis (existing and projected counts) of the surrounding road network in peak hours; 			
- recommendations of road infrastructure and road safety improvements;			
- provision of off-street parking in accordance with the relevant Council DCP;			
- details of the largest vehicles accessing the site (including removalist vans);			
- number of employees and frequency of deliveries;			
 cumulative impact of existing and proposed (approved) development adjoining and nearby; 			
- consideration of relevant State Policies, including State Environmental Planning Policy (Infrastructure); and			
- design of vehicle access, parking and loading/unloading areas, including provision of swept path diagrams (to scale 1:100).			

32 - Access Report (Required for RFBs, Child Care Centres, Mixed Use Development, Boarding Houses, Hotels etc.)	Yes	N/A	Office Use		
The access report must be prepared by a suitably qualified Access Consultant, demonstrating compliance with State Environmental Planning Policy 65 (where applicable), relevant Council DCP & relevant standards.					
33 - BASIX Certificate or Energy & Water Efficiency Report					
BASIX Certificate - Single Dwellings including ALL Secondary Dwellings					
BASIX Certificate - Dual Occupancies and Multi Unit Dwellings					
BASIX Certificate – Alterations and Additions (over \$50,000)					
BASIX Certificate – Swimming Pools (required if capacity greater than 40,000 litres)					
BASIX Certificate or Report – Boarding Houses (dependent on the form of development).					
A Section J Report must be submitted for boarding house development with a floor area >300sqm?					
The BASIX Certificate must be current/valid (issued no more than 3 months prior to DA lodgement).					
The BASIX measures/provisions must be clearly identified on the plans?					
An Energy & Water Efficiency Report must be submitted for a retail, commercial or industrial development as follows: - FORMER CITY OF ROCKDALE: construction cost over \$1 million.					
- FORMER CITY OF BOTANY BAY: construction cost over \$250,000.					
Office Use Only – Development Advisory Service					
Calculate fees as per Development Application Fee Table					
Description of proposal					
Checked by Date	_/	/			
Office use only – Customer Service					
Receipt No: Date:	/ /				
Total Fees received: \$					